

**Patterson, Leslie**

US EPA RECORDS CENTER REGION 5



505725

**From:** Brett.Fishwild@CH2M.com  
**nt:** Friday, May 10, 2013 5:27 PM  
**J:** Patterson, Leslie; Laura.Marshall@epa.state.oh.us  
**Subject:** South Dayton Dump - initial thoughts on the OU2 scoping document

Leslie/Laura,

To prepare for our regulators call this coming Thursday, we prepared a handful of high level review comments on the OU2 scoping document:

- 1) It appears to be in general accordance with a scoping type document, although we would like EPA's input as to how formal this document should be (i.e. how strict a review you would like).
- 2) CRA acknowledges that this scoping will be the basis for an OU2 RI/FS work plan, but they could more clearly identify that intent and the connection with the existing RI/FS process at South Dayton Dump. Like with the earlier OU1 Data Gap Work Plan, a good introduction helps set the stage for the reader.
- 3) They state that the OU2 groundwater RI scope will be done after the OU1 groundwater investigation is complete. However, the schedule we discussed in March 2013 indicated that the OU2 work plan would be completed in the second half of 2013, which is during the OU1 work. Need a clarification regarding the schedule.
- 4) The scope of work they present covers most of the OU2 areas, but the specific scope of work (to come later) will have to be evaluated in more detail based on the DQOs and the proposed sampling.
- 5) Comments on the figures:
  - They have a detailed description of OU2 but the figure only shows some of the southern parcels.
  - They break these parcels up into groups repeatedly, but those groups are not shown on a figure.
  - Some of the data gap areas could benefit from figures. Since this is a scoping document, we can probably balance the level of detail we want now versus getting the project going in the right direction overall.

We may identify other comments before the call, but we didn't want to get too detailed until we heard EPA's input. Please feel free to provide any thoughts before the call as well.

Thank you.

Brett A. Fishwild  
Associate Project Manager  
Geologist

*ARAR ID - initial*  
*mail on CSM*

CH2M HILL  
1 South Main Street  
Suite 1100  
Dayton, OH 45402  
Direct 937.220.2955  
eFax 937.234.6157  
Mobile 515.991.2404  
[www.ch2mhill.com](http://www.ch2mhill.com)

2 directions

- ① Have CRA strip out DDOs & keep them to step 1.
- ② Really flash out & make the DDO's match the text.

---

John Russell - going issue letter to IP as RP  
218-760-9088

Dyersma Plumbing 773-285-9494

Yerkes " 773-776-1300

Absolutely Clear Plumbing 773-653-5338